



850 / S70 / V70 (-00) / C70 Coupe (-02) / C70 Conv (-05) / S40 (-04) / V40 / 940 / V70 XC (-00) / 960 / S90 / S80 (-06) / V70 XC (01-) / XC70 (-07) / S60 / V70 (00-08) / XC90	Section	Group	Weight (Kg/Pounds)	Year	Month
	8	88		2001	11

850 1992, 850 1993, 850 1994, 850 1995, 850 1996, 850 1997, 940 1991, 940 1992, 940 1993, 940 1994, 940 1995, 940 1996, 940 1997, 940 1998, 940 SE 1991, 940 SE 1992, 960 1991, 960 1992, 960 1993, 960 1994, 960 1995, 960 1996, 960 1997, C70 Conv (-05) 1998, C70 Conv (-05) 1999, C70 Conv (-05) 2000, C70 Conv (-05) 2001, C70 Conv (-05) 2002, C70 Conv (-05) 2003, C70 Coupe (-02) 1998, C70 Coupe (-02) 1999, C70 Coupe (-02) 2000, C70 Coupe (-02) 2001, C70 Coupe (-02) 2002, S40 (-04) 1996, S40 (-04) 1997, S40 (-04) 1998, S40 (-04) 1999, S40 (-04) 2000, S40 (-04) 2001, S40 (-04) 2002, S40 (-04) 2003, S60 2001, S60 2002, S60 2003, S60 2004, S70 1997, S70 1998, S70 1999, S70 2000, S80 (-06) 1999, S80 (-06) 2000, S80 (-06) 2001, S80 (-06) 2002, S80 (-06) 2003, S80 (-06) 2004, S90 1997, S90 1998, V40 1996, V40 1997, V40 1998, V40 1999, V40 2000, V40 2001, V40 2002, V40 2003, V70 (-00) 1997, V70 (-00) 1998, V70 (-00) 1999, V70 (-00) 2000, V70 (00-08) 2000, V70 (00-08) 2001, V70 (00-08) 2002, V70 (00-08) 2003, V70 (00-08) 2004, V70 XC (-00) 1998, V70 XC (-00) 1999, V70 XC (-00) 2000, V70 XC (01-) / XC70 (-07) 2001, V70 XC (01-) / XC70 (-07) 2002, V70 XC (01-) / XC70 (-07) 2003, V70 XC (01-) / XC70 (-07) 2004, XC90 2003, XC90 2004, XC90 2005, XC90 2006, XC90 2007, XC90 2008

Installation instructions, accessories - Fire extinguisher

Volvo Car Corporation Göteborg, Sweden



Required tools




A0000162



Nm
lbf.ft

A0000161



R8902641

Any comments on this publication? Please contact your nearest dealer. Thank you!

Publication no: MA 8641587, Issue: 2001-11
Comments:.....
From:.....
Address:.....
Telephone no:.....
Telefax:.....



INTRODUCTION

- **NOTE! Read through the entire text before carrying out any work.**
- The front page gives the date of this edition and the edition it replaces
- The second page shows the tools needed for the installation and the contents of the installation kit
- The illustrations display the procedure in order of operation. The order of operation is repeated in the text section
- Cut out the text page in order to follow the illustrations and text at the same time.

Fire extinguisher

Caution!


When installing the fire extinguisher in front of the front seats, the handle for the fire extinguisher must be turned to the left (looking towards the front of the car).

Note!

When using an RTI unit in the XC90 the fire extinguisher must be mounted under the right-hand seat.




1



A8901262

- Remove the fire extinguisher from the mounting.

2




A8901264

Applies to the 4 door 900 and S90

- Position the holder on the floor between the right-hand wheel arch and the spare wheel hatch
- Tighten the holder using the self tapping screws as illustrated.

3




A8502083

Applies to the S40 and the V40 with manual seats from chassis number 415 000 inclusive

- Raise the left-hand front seat to the highest point
- Remove the handle (2) by compressing the ends (1)
- Ensure that the rubber washer (3) does not come loose.

4




A8901268

Applies to the S40 and the V40 with manual seats from chassis number 415 000 inclusive

- Screw the bracket (1) into place in the existing holes in the front of the seat frame. Tighten to **10 Nm (8 lbf.ft.)**
- Install the new handle (3)
- Ensure that the rubber washer (4) is in the correct position
- Install the holder (2) on the bracket (1).



5



M8902169

Applies to the 850, S60, C70, S70, V70, S80, XC90 and the S40 and V40 with manual seats from chassis number 415 000 inclusive

- Raise the driver's seat to its highest point.


Note!

The fire extinguisher must be mounted under the left seat on S40 and V40 models, even on right-hand drive cars.

Applies to manual seats for all models

- Release the catches (1). Remove the handle (2)
- Install the new handle (3).

6




R8902861

Applies to power seats for the 850, S60, C70, S70, V70, S80 and XC90

- Cut off the tie strap securing the cable harness in the left-hole in the seat frame (1).

7



M8902170

Applies to the 850, S60, C70, S70, V70, S80, XC90 and the S40 and V40 with manual seats from chassis number 415 000 inclusive

- Screw the bracket (1) into place in the existing holes in the front of the seat frame. Tighten to **10 Nm (8 lbf.ft)**
- Install the holder (2) on the bracket (1).

Applies to power seats for the 850, S60, C70, S70, V70, S80 and XC90

- Install a tie strap from the kit for the cable harness in the hole (3) on the bracket (1).

8

Applies to all car models

- Position the fire extinguisher in the holder. Hook the tensioner in the eyelet, tighten the strap and lock
- Read the fire extinguisher instructions.